

DONG GUAN HANBO APPAREL CO.,LTD

ROOM 1001, 10TH FLOOR, SHUNXING BUILDING, HUMEN SECTION, 320 TAIAN ROAD, HUMEN TOWN, DONGGUAN, GUANGDONG

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A)Fabric mask

Sample Color : (A)Black

Composition : (A)Face: 100% POLYESTER, Back: 100% COTTON

Sample Size : 11cm x 16cm

Fabric Reference Code : Polyester Warp Knitting Fabric

Style No. : MFF5

Factory : Dong Guan Hanbo Apparel CO.,LTD

Buyer : 3S MASK LTD

Country of Destination : Canada

Retest : Yes

Previous No. : SL52205231403801TX

Proposed Care Instruction : How to wash, comment selaver, soak the mask in warm soapy water for 5 minutes and then gently clean the mask with soft brush, dip in clean water for 5 minutes and rinse for 2 minutes until clean, hang & natural dry, avoid machine wash, rubbing, twisting or squeezing the mask, to avoid potential damage the built-in nano filter.

Test Performed : Selected test(s) as requested by applicant

Sample Receiving Date : Mar 09, 2022

Testing Period : Mar 11, 2022 - Mar 18, 2022

Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

**Comment:**

<b>ASTM F3502-2021 Standard Specification for Barrier Face Coverings</b>	(A)
Section 10 Labelling Requirements	M
Section 11 User Instructions	M

Remark: M=Meet ASTM F3502-2021 Requirement

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd Testing Center



Sara Guo (Account Executive)

**SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. 3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgs.com.cn  
 Testing Center Technical Services (Shanghai) Co., Ltd. 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Test Result

**Personal Protective Equipment ASTM F3502-Standard Specification for Barrier Face Coverings**

ASTM F3502:2021

**Section 10 Labelling Requirements**

(ASTM F3502-2021 Section 10)

A

Item	Requirements	Observation Results
10.1	<p>The barrier face covering label shall have, at a minimum:</p> <ol style="list-style-type: none"> <li>1. the manufacturer's name, identification, designation, or logo;</li> <li>2. the barrier face covering model or style; and</li> <li>3. the following statement: "MEETS ASTM F3502."</li> </ol> <p>Information shall be printed anywhere on the product or on a permanently affixed tag. The label information shall be accessible without damaging the product.</p>	Present
10.2	<p>The packaging containing the smallest saleable unit/package from which the user withdraws the product for use shall provide the following statement:</p> <p>"MEETS ASTM F3502, SPECIFICATION FOR BARRIER FACE COVERINGS. THIS PRODUCT IS PRIMARILY INTENDED AS A MEANS OF SOURCE CONTROL FOR MINIMIZING THE PROJECTION OF EXPELLED MATERIALS FROM THE WEARER'S NOSE AND MOUTH. WARNING: THIS BARRIER FACE COVERING IS NOT A MEDICAL FACE MASK AS DEFINED IN ASTM F2100, IS NOT INTENDED FOR USE IN MEDICAL PROCEDURES, AND IS NOT A RESPIRATOR."</p> <p>Information shall be printed on the package where the point-of-sale user may view it in its entirety.</p> <p>(Notes: The above warning shall be permitted to exclude references to medical face masks if product also meets Specification F2100. Or, The above warning shall be permitted to exclude references to respirators if the product is a respiratory protective device that is also approved under 42 CFR Part 84 and is listed in the NOISH Certified Equipment List.)</p>	Present based on specification ASTM F3502 compliant only
10.2.4	<p>The separate classifications of product performance in terms of sub-micron particulate filtration efficiency and airflow resistance shall be provided as specified in Section 9.2 (See Annex: CLASSIFICATION – Barrier Performance (Reference Only))</p>	Present
10.2.5	<p>The following information shall also be printed legibly on the product packaging:</p>	
10.2.5.1	<p>Manufacturer's name, identification, or designation.</p>	Present
10.2.5.2	<p>Manufacturer's address.</p>	Present



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSI Standards Technical Services (Shanghai) Co., Ltd. 3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
 Testing Center 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

10.2.5.3	Country of manufacture.	Present
10.2.5.4	Barrier face covering model or style.	Present
10.2.5.5	Primary materials of construction.	Present
10.2.5.6	Month and year of manufacture, not coded	Present
10.2.5.7	Lot or trace number, if applicable.	Present
10.2.5.8	Size, if applicable.	Present
10.2.5.9	An indication if the product is for single use or can be reused if cleaned or laundered.	Present
10.2.5.10	Expiration date, if applicable.	N/A
10.2.5.11	Manufacturers shall be permitted to include certain variable information, including the manufacturer and year of manufacture, lot or trace number, and size on the label that appears on the barrier face covering instead of the packaging.	Present

Remark:

The marking review was based on artwork provided by client, according to ASTM F3502-2021 section 10 only, not refer to other applicable legislation.  
The above results are only for inspecting the integrity and standardization of the labelling of the product, not including verifying the truth of the content.

Remark: test on artwork



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. 3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
Testing Center: 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**Section 11 User Instructions**

(ASTM F3502-2021 Section 11)

A

Item	Requirements	Observation Results
11.1	A set of use instructions shall be provided with the package containing the smallest saleable unit/package from which the user withdraws the product that includes the following information or statements:	
11.1.1	The manufacturer, product, and compliance information, and warning statements provided in 10.2.	Present
11.1.2	Information on how to select the correct size and make adjustments in the fit (if applicable).	Present
11.1.2.1	If applicable, sizing information shall include manufacturer information on how individual sizes of barrier face coverings are specified.	Present
11.1.3	Procedures for donning (how to put on) and doffing (how to take off).	Present
11.1.3.1	Where the product can be donned in more than one orientation such that the filter does not cover the nose and mouth as intended by the manufacturer, the donning procedures shall instruct the wearer how to identify the proper orientation and filter placement.	N/A
11.1.4	If the product is reusable then inspection, use, and care instructions, including laundering or cleaning and the service life (maximum number of laundering or cleaning cycles), or specific details regarding when the barrier face covering should be discarded, shall be included.	Present
11.1.5	Any other cautions and limitations.	N/A
11.1.6	Conditions of storage and the shelf life, if applicable or known (if stored without use).	Present
11.1.7	How to tell when the barrier face covering has reached the end of its useful life (that is, when it should be replaced).	Present
11.1.8	Procedures for disposal of product following use.	Present

**Remark:**


The user instruction check was based on artwork provided by client, according to ASTM F3502-2021 section 11 only, not refer to other applicable legislation.

The above results are only for inspecting the integrity and standardization of the instructions for use of the product, not including verifying the truth of the content.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**  
 3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com


### Sample Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)






**FRABIC MASK**  
**MASQUE EN TISSU**


**WWW.3SMASK.COM**

Manufacturer / Fabricante : 3S Mask  
Address / Adresse : D-3889 Keith St., Burnaby, BC, V5J 5K4  
Website / Site Internet : www.3Smask.com

**ASTM F3502 Proven effectiveness** **86%**



**15 mm H<sub>2</sub>O**



	Mask Measurement (inch) Mesure du masque (pouces)	Eye-Chin Distance (inch) Distance oeil-menton (pouces)
XS	5 1/2" High x 7 1/2" Wide	3 1/2" and less
S	5 7/8" High x 8" Wide	3 1/2" - 4"
M	6 1/4" High x 8 1/2" Wide	4" - 4 1/2"
L	6 5/8" High x 9" Wide	4 1/2" - 5"
XL	7" High x 9 1/2" Wide	5" and more

**Tested to ASTM F3502 Standard for Filtration Efficiency & Breathability / Testé selon la norme ASTM F3502 pour l'efficacité de filtration et la respirabilité**

MEETS ASTM F3502, SPECIFICATION FOR BARRIER COVERINGS. THIS PRODUCT IS PRIMARILY INTENDED AS A MEANS OF SOURCE CONTROL FOR MINIMIZING THE PROJECTION OF EJECTED MATERIALS FROM THE WEARER'S NOSE AND MOUTH.

WARNING: THIS BARRIER FACE COVERING IS NOT A MEDICAL FACE MASK AS DEFINED IN ASTM F2101. IS NOT INTENDED FOR USE IN MEDICAL PROCEDURES, AND IS NOT A RESPIRATOR.

CONFORME A L'ASTM F3502, SPECIFICATION POUR LES REVÊTEMENTS DE BARRIÈRE. CE PRODUIT EST PRINCIPALEMENT CONÇU COMME MOYEN DE CONTRÔLE DE LA SOURCE POUR MINIMISER LA PROJECTION DE MATIÈRES ÉJECTÉES PAR LE NEZ ET LA BOUCHE DU PORTEUR.


AVERTISSEMENT : CE COUVRE-VISAGE BARRIÈRE N'EST PAS UN MASQUE MÉDICAL TEL QU'IL EST DÉFINI DANS L'ASTM F2101. N'EST PAS CONÇU POUR L'UTILISATION DANS DES PROCÉDURES MÉDICALES ET N'EST PAS UN RESPIRATEUR.


**User Instructions / Instructions d'utilisation**

- Sanitize your hands before and after touching the mask.
- Touch only the bands or ties when putting on and taking off your mask.
- Adjust the ear loops and nose clip to make sure the mask fits. Do not touch nose, mouth, and chin.
- Optional headbands can help releasing stress to ears.
- To help prevent air leakage, masks should fit snugly against the sides of the face and not have gaps.
- Désinfectez-vous les mains avant et après avoir touché le masque.
- Ne touchez pas les bandes ou attaches lors de la mise et du retrait de votre masque.
- Ajustez les boucles d'oreille et le pince-nez pour vous assurer que le masque s'adapte à votre nez, votre bouche et votre menton. Un serre-tête en option peut aider à libérer le stress des oreilles.
- Pour aider à prévenir les fuites d'air, les masques doivent être bien ajustés contre les côtés du visage et ne pas présenter d'espaces.

**Washing Instructions / Instructions de lavage**

- Soak the mask in warm soapy water for 5 minutes and then gently clean the mask with soft brush.
- Dip in clean water for 5 minutes and rinse for 2 minutes until clean, wring & naturally dry.
- Avoid machine wash, rubbing, twisting or squeezing the mask. To avoid potential damage the built-in Nano Filter.
- Faire tremper le masque dans de l'eau chaude savonneuse pendant 5 minutes puis nettoyer délicatement le masque avec une brosse douce.
- Tremper dans de l'eau propre pendant 5 minutes et rincer pendant 2 minutes jusqu'à ce qu'il soit propre. Accrocher et sécher naturellement.
- Évitez de laver en machine, de frotter, de tordre ou de serrer le masque, pour éviter d'endommager le nanofiltre intégré.





Production Date: February 1st, 2022  
Date de production: 1er Février, 2022  
MADE IN CHINA / FABRIQUÉ EN CHINE

**Product information is provided by applicant without verification or authentication of the brand.**

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)